


| Description                                      | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|--------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 69.30m to Ch 69.30m                           |      | 1    | 9.30   | 1.40  | 0.35  | 4.56     |
| Dasarahalli (Bhuvaneshwari nagar)                |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 00.00m to Ch 15.00m (3rd cross road) (W0455)  |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 90.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                          |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 156.90m                         |      | 1    | 21.90  | 1.40  | 0.30  | 9.20     |
| Ch 00.00m to Ch 15.00m (4th cross road) (W0461)  |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 90.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                          |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 132.00m                         |      | 1    | 12.00  | 1.40  | 0.30  | 5.04     |
| Ch 00.00m to Ch 15.00m (5th cross road) (W0465)  |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 90.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                          |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 139.50m                         |      | 1    | 19.50  | 1.40  | 0.30  | 8.19     |
| Ch 00.00m to Ch 15.00m (5th cross road continue) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |

| Description                                                         | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|---------------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 60 00m to Ch 75 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 75 00m to Ch 90 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 90 00m to Ch 105 00m                                             |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 105 00m to Ch 120 00m                                            |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 120 00m to Ch 135 00m                                            |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 135 00m to Ch 150 00m                                            |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 150 00m to Ch 165 00m                                            |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 165 00m to Ch 180 00m                                            |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 180 00m to Ch 195 50m                                            |      | 1    | 15 50  | 1 40  | 0 30  | 6 51     |
| Ch 00 00m to Ch 15 00m (Brundhavan road) (W1108)                    |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 15 00m to Ch 30 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 30 00m to Ch 45 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 45 00m to Ch 60 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 60 00m to Ch 75 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 75 00m to Ch 90 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 90 00m to Ch 105 00m                                             |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 105 00m to Ch 123 00m                                            |      | 1    | 18 00  | 1 40  | 0 30  | 7 56     |
| <b>Vidyasagar roads LHS and RHS side</b>                            |      |      |        |       |       |          |
| Ch 00 00m to Ch 15 00m (1st main road LHS) (W1487)                  |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 15 00m to Ch 30 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 30 00m to Ch 45 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 45 00m to Ch 60 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 60 00m to Ch 72 60m                                              |      | 1    | 12 60  | 1 40  | 0 30  | 5 29     |
| Ch 00 00m to Ch 15 00m (4th main road RHS) (L-shape road) (W1795)   |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 15 00m to Ch 30 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 30 00m to Ch 45 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 45 00m to Ch 60 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 60 00m to Ch 75 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 75 00m to Ch 91 10m                                              |      | 1    | 16 10  | 1 40  | 0 30  | 6 76     |
| Ch 00 00m to Ch 15 00m (3rd main road RHS) (Hp school road) (W1779) |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 15 00m to Ch 30 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 30 00m to Ch 45 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 45 00m to Ch 60 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |
| Ch 60 00m to Ch 75 00m                                              |      | 1    | 15 00  | 1 40  | 0 30  | 6 30     |

  
 29.03.2014  
 Page 54

Asst. Executive Engineer  
 Project Division  
 Yelahanka Zone

| Description                                            | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|--------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 90.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                                |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                               |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                               |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 150.00m                               |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 150.00m to Ch 165.00m                               |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 165.00m to Ch 182.40m                               |      | 1    | 17.40  | 1.40  | 0.30  | 7.31     |
| Ch 00.00m to Ch 15.00m (2nd main road RHS)<br>(W1773)  |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 68.10m                                 |      | 1    | 8.10   | 1.40  | 0.30  | 3.40     |
| Ch 00.00m to Ch 5.80m (Approach)                       |      | 1    | 5.80   | 1.40  | 0.30  | 2.44     |
| Ch 00.00m to Ch 15.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 80.50m                                 |      | 1    | 20.50  | 1.40  | 0.30  | 8.61     |
| Ch 00.00m to Ch 15.00m (2nd main road LHS)<br>(W1771)  |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 51.30m                                 |      | 1    | 6.30   | 1.40  | 0.30  | 2.65     |
| <b>Thanisandra Mn road LHS</b>                         |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Balon factory road)<br>(W0992) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 90.00m                                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                                |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                               |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                               |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 150.00m                               |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |

*[Signature]*  
29.3.2024

| Description                                  | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|----------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 150.00m to Ch 165.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 165.00m to Ch 180.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 180.00m to Ch 195.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 195.00m to Ch 210.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 210.00m to Ch 225.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 225.00m to Ch 240.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 240.00m to Ch 255.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 255.00m to Ch 270.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 270.00m to Ch 285.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 285.00m to Ch 300.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 300.00m to Ch 315.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 315.00m to Ch 330.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 330.00m to Ch 345.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 345.00m to Ch 360.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 360.00m to Ch 375.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 375.00m to Ch 390.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 390.00m to Ch 405.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 405.00m to Ch 420.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 420.00m to Ch 435.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 435.00m to Ch 448.40m                     |      | 1    | 13.40  | 1.40  | 0.30  | 5.63     |
| <b>Saraipalya (Thanisanra Mn road RHS)</b>   |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Masjid road) (W1567) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 90.00m                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                      |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 150.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 150.00m to Ch 165.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 165.00m to Ch 180.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 180.00m to Ch 195.00m                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |

29.3.2021

Asst. Executive Engineer

| Description                                   | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-----------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m                        |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 210.00m                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 210.00m to Ch 225.00m                      |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 225.00m to Ch 240.00m                      |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 240.00m to Ch 255.00m                      |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 255.00m to Ch 270.00m                      |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 270.00m to Ch 285.00m                      |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 00.00m to Ch 15.00m (Sawmill road) (W0992) |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 15.00m to Ch 30.00m                        |      | 2    | 15.00  | 1.40  | 0.35  | 14.70    |
| Ch 30.00m to Ch 45.00m                        |      | 2    | 15.00  | 1.40  | 0.35  | 14.70    |
| Ch 45.00m to Ch 60.00m                        |      | 2    | 15.00  | 1.40  | 0.35  | 14.70    |
| Ch 60.00m to Ch 70.70m                        |      | 2    | 10.70  | 1.40  | 0.30  | 8.99     |
| Ch 00.00m to Ch 4.50m (Approach)              |      | 2    | 4.50   | 1.40  | 0.35  | 4.41     |
| Ch 70.70m to Ch 90.00m                        |      | 2    | 19.30  | 1.40  | 0.35  | 18.91    |
| Ch 90.00m to Ch 105.00m                       |      | 2    | 15.00  | 1.40  | 0.35  | 14.70    |
| Ch 105.00m to Ch 120.00m                      |      | 2    | 15.00  | 1.40  | 0.35  | 14.70    |
| Ch 120.00m to Ch 135.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 135.00m to Ch 150.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 150.00m to Ch 165.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 165.00m to Ch 180.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 180.00m to Ch 195.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 195.00m to Ch 210.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 210.00m to Ch 225.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 225.00m to Ch 240.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 240.00m to Ch 255.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 255.00m to Ch 270.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 270.00m to Ch 285.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 285.00m to Ch 300.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 300.00m to Ch 315.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 315.00m to Ch 330.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 330.00m to Ch 345.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 345.00m to Ch 360.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 360.00m to Ch 375.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 375.00m to Ch 390.00m                      |      | 2    | 15.00  | 1.40  | 0.30  | 12.60    |
| Ch 390.00m to Ch 400.80m                      |      | 2    | 10.80  | 1.40  | 0.30  | 9.07     |

| Description                                                      | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|------------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m (Sawmill road continue)                   |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                                           |      | 1    | 10.70  | 1.40  | 0.30  | 4.49     |
| Ch 75.00m to Ch 90.00m                                           |      | 1    | 19.30  | 1.40  | 0.30  | 8.11     |
| Ch 90.00m to Ch 105.00m                                          |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 150.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 150.00m to Ch 165.00m                                         |      | 1    | 15.00  | 1.40  | 0.35  | 7.35     |
| Ch 165.00m to Ch 180.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 180.00m to Ch 187.20m                                         |      | 1    | 7.20   | 1.40  | 0.30  | 3.02     |
| Ch 00.00m to Ch 15.00m (Rasool sab layout main road RHS) (W1176) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 33.30m                                           |      | 1    | 18.30  | 1.40  | 0.30  | 7.69     |
| Ch 00.00m to Ch 15.00m (Rasool sab layout main road LHS) (W1176) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 90.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                                          |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 150.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 150.00m to Ch 165.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 165.00m to Ch 180.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 180.00m to Ch 195.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 195.00m to Ch 213.30m                                         |      | 1    | 18.30  | 1.40  | 0.30  | 7.69     |
| Ch 00.00m to Ch 15.00m (Army colony) (W1082)                     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                                           |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |

| Description                                                    | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|----------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 75.00m to Ch 90.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                                        |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 150.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 150.00m to Ch 165.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 165.00m to Ch 178.00m                                       |      | 1    | 13.00  | 1.40  | 0.30  | 5.46     |
| Ch 00.00m to Ch 15.00m (Gupta layout tar factory road) (W1827) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 90.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 90.00m to Ch 105.00m                                        |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 105.00m to Ch 120.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 120.00m to Ch 135.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 135.00m to Ch 150.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 150.00m to Ch 165.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 165.00m to Ch 180.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 180.00m to Ch 195.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 195.00m to Ch 210.00m                                       |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 210.00m to Ch 225.20m                                       |      | 1    | 15.20  | 1.40  | 0.30  | 6.38     |
| <b>Sawmill cross roads</b>                                     |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (7th cross LHS) (W1547)                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 33.50m                                         |      | 1    | 18.50  | 1.40  | 0.30  | 7.77     |
| Ch 00.00m to Ch 15.00m (9th cross RHS) (W1539)                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 22.80m                                         |      | 1    | 7.80   | 1.40  | 0.30  | 3.28     |
| Ch 00.00m to Ch 15.00m (4th cross RHS) (W1509)                 |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                                         |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 80.20m                                         |      | 1    | 20.20  | 1.40  | 0.30  | 8.48     |

| Description                                        | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|----------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m (3rd cross RHS) (W1507)     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 64.30m                             |      | 1    | 19.30  | 1.40  | 0.30  | 8.11     |
| Ch 00.00m to Ch 15.00m (2nd cross RHS) (W1495)     |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 26.70m                             |      | 1    | 11.70  | 1.40  | 0.30  | 4.91     |
| Ch 00.00m to Ch 15.00m (1st sub cross LHS) (W1042) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 74.60m                             |      | 1    | 14.60  | 1.40  | 0.30  | 6.13     |
| Ch 00.00m to Ch 15.00m (2nd sub cross LHS) (W1038) |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 45.00m to Ch 60.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 60.00m to Ch 75.00m                             |      | 1    | 15.00  | 1.40  | 0.30  | 6.30     |
| Ch 75.00m to Ch 84.40m                             |      | 1    | 9.40   | 1.40  | 0.30  | 3.95     |
| Total Quantity:-                                   | Cum  |      |        |       |       | 1921.82  |

Assistant Engineer

Assistant Executive Engineer  
Project Division  
Yelahanka Zone  
BBMP, Bangalore - 92

| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | UNIT | No/s | LENGTH | WIDTH | DEPTH | QUANTITY |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Measurement Recorded on :                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |      |      |        |       |       |          |
| KSA&B M400-17. Providing, laying, spreading and compacting crushed stone aggregates of granite / trap / basalt to wet mix macadam specifications including pre mixing the material with water at OMC in mechanical mix plant carriage of mixed materials by tipper to site, laying in uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications(P.No-155, I No-20.18) |      |      |        |       |       |          |
| Dasarahalli extension                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Main road) (W0300)                                                                                                                                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.50  | 0.20  | 19.50    |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.75  | 0.20  | 20.25    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.85  | 0.20  | 20.55    |
| Ch 45.00m to Ch 60.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.90  | 0.20  | 20.70    |
| Ch 60.00m to Ch 75.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.75  | 0.20  | 20.25    |
| Ch 75.00m to Ch 90.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.75  | 0.20  | 20.25    |
| Ch 90.00m to Ch 105.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |      | 1    | 15.00  | 6.75  | 0.20  | 20.25    |
| Ch 105.00m to Ch 120.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |      | 1    | 15.00  | 6.70  | 0.20  | 20.10    |
| Ch 120.00m to Ch 135.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |      | 1    | 15.00  | 6.75  | 0.20  | 20.25    |
| Ch 135.00m to Ch 150.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |      | 1    | 15.00  | 6.55  | 0.20  | 19.65    |
| Ch 00.00m to Ch 15.00m (3rd cross road) (W0587)                                                                                                                                                                                                                                                                                                                                                                                                                                           |      | 1    | 15.00  | 5.10  | 0.20  | 15.30    |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 5.05  | 0.20  | 15.15    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 5.00  | 0.20  | 15.00    |
| Ch 45.00m to Ch 60.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 4.95  | 0.20  | 14.85    |
| Ch 60.00m to Ch 75.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 5.05  | 0.20  | 15.15    |
| Ch 75.00m to Ch 90.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 5.05  | 0.20  | 15.15    |
| Ch 90.00m to Ch 105.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |      | 1    | 15.00  | 5.20  | 0.20  | 15.60    |
| Ch 105.00m to Ch 120.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |      | 1    | 15.00  | 5.30  | 0.20  | 15.90    |
| Ch 120.00m to Ch 135.60m                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |      | 1    | 15.60  | 5.60  | 0.20  | 17.47    |
| Ch 00.00m to Ch 15.00m (Curve road) (W0316)                                                                                                                                                                                                                                                                                                                                                                                                                                               |      | 1    | 15.00  | 8.25  | 0.20  | 24.75    |
| Ch 15.00m to Ch 26.30m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 11.30  | 8.45  | 0.20  | 19.10    |
| Ch 00.00m to Ch 15.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.60  | 0.20  | 19.80    |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.60  | 0.20  | 19.80    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.60  | 0.20  | 19.80    |
| Ch 45.00m to Ch 65.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 20.00  | 6.60  | 0.20  | 26.40    |
| Ch 00.00m to Ch 15.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.30  | 0.20  | 18.90    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |
| Ch 45.00m to Ch 60.00m                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |

| Description                                     | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 60.00m to Ch 69.30m                          |      | 1    | 9.30   | 5.65  | 0.20  | 10.51    |
| Ch 00.00m to Ch 15.00m (2nd cross road) (W0585) |      | 1    | 15.00  | 5.10  | 0.20  | 15.30    |
| Ch 15.00m to Ch 30.00m                          |      | 1    | 15.00  | 5.05  | 0.20  | 15.15    |
| Ch 30.00m to Ch 42.00m                          |      | 1    | 12.00  | 5.00  | 0.20  | 12.00    |
| Dasarahalli (Bhuvaneshwari nagar)               |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (3rd cross road) (W0455) |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |
| Ch 15.00m to Ch 30.00m                          |      | 1    | 15.00  | 6.40  | 0.20  | 19.20    |
| Ch 30.00m to Ch 45.00m                          |      | 1    | 15.00  | 6.75  | 0.20  | 20.25    |
| Ch 45.00m to Ch 60.00m                          |      | 1    | 15.00  | 6.60  | 0.20  | 19.80    |
| Ch 60.00m to Ch 75.00m                          |      | 1    | 15.00  | 6.50  | 0.20  | 19.50    |
| Ch 75.00m to Ch 90.00m                          |      | 1    | 15.00  | 1.40  | 0.20  | 4.20     |
| Ch 90.00m to Ch 105.00m                         |      | 1    | 15.00  | 1.50  | 0.20  | 4.50     |
| Ch 105.00m to Ch 120.00m                        |      | 1    | 15.00  | 2.10  | 0.20  | 6.30     |
| Ch 120.00m to Ch 135.00m                        |      | 1    | 15.00  | 2.20  | 0.20  | 6.60     |
| Ch 135.00m to Ch 156.90m                        |      | 1    | 21.90  | 2.60  | 0.20  | 11.39    |
| Ch 00.00m to Ch 15.00m (4th cross road) (W0461) |      | 1    | 15.00  | 6.40  | 0.20  | 19.20    |
| Ch 15.00m to Ch 30.00m                          |      | 1    | 15.00  | 6.20  | 0.20  | 18.60    |
| Ch 30.00m to Ch 45.00m                          |      | 1    | 15.00  | 5.90  | 0.20  | 17.70    |
| Ch 45.00m to Ch 60.00m                          |      | 1    | 15.00  | 5.70  | 0.20  | 17.10    |
| Ch 60.00m to Ch 75.00m                          |      | 1    | 15.00  | 5.65  | 0.20  | 16.95    |
| Ch 75.00m to Ch 90.00m                          |      | 1    | 15.00  | 5.85  | 0.20  | 17.55    |
| Ch 90.00m to Ch 105.00m                         |      | 1    | 15.00  | 6.00  | 0.20  | 18.00    |
| Ch 105.00m to Ch 120.00m                        |      | 1    | 15.00  | 5.80  | 0.20  | 17.40    |
| Ch 120.00m to Ch 132.00m                        |      | 1    | 12.00  | 5.70  | 0.20  | 13.68    |
| Ch 00.00m to Ch 15.00m (5th cross road) (W0465) |      | 1    | 15.00  | 1.25  | 0.20  | 3.75     |
| Ch 15.00m to Ch 30.00m                          |      | 1    | 15.00  | 2.20  | 0.20  | 6.60     |
| Ch 30.00m to Ch 45.00m                          |      | 1    | 15.00  | 5.70  | 0.20  | 17.10    |
| Ch 45.00m to Ch 60.00m                          |      | 1    | 15.00  | 1.30  | 0.20  | 3.90     |
| Ch 60.00m to Ch 75.00m                          |      | 1    | 15.00  | 1.40  | 0.20  | 4.20     |
| Ch 75.00m to Ch 90.00m                          |      | 1    | 15.00  | 2.20  | 0.20  | 6.60     |
| Ch 90.00m to Ch 105.00m                         |      | 1    | 15.00  | 2.40  | 0.20  | 7.20     |
| Ch 105.00m to Ch 120.00m                        |      | 1    | 15.00  | 5.80  | 0.20  | 17.40    |
| Ch 120.00m to Ch 139.50m                        |      | 1    | 19.50  | 5.80  | 0.20  | 22.82    |

Asst. Executive Engineer  
Project Division

| Description                                      | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|--------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m (5th cross road continue) |      | 1    | 15.00  | 5.60  | 0.20  | 15.80    |
| Ch 15.00m to Ch 30.00m                           |      | 1    | 15.00  | 5.60  | 0.20  | 15.80    |
| Ch 30.00m to Ch 45.00m                           |      | 1    | 15.00  | 5.25  | 0.20  | 15.75    |
| Ch 45.00m to Ch 60.00m                           |      | 1    | 15.00  | 5.45  | 0.20  | 15.35    |
| Ch 60.00m to Ch 75.00m                           |      | 1    | 15.00  | 5.20  | 0.20  | 15.60    |
| Ch 75.00m to Ch 90.00m                           |      | 1    | 15.00  | 4.70  | 0.20  | 14.10    |
| Ch 90.00m to Ch 105.00m                          |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 105.00m to Ch 120.00m                         |      | 1    | 15.00  | 4.80  | 0.20  | 14.70    |
| Ch 120.00m to Ch 135.00m                         |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 135.00m to Ch 150.00m                         |      | 1    | 15.00  | 4.70  | 0.20  | 14.10    |
| Ch 150.00m to Ch 165.00m                         |      | 1    | 15.00  | 4.85  | 0.20  | 14.55    |
| Ch 165.00m to Ch 180.00m                         |      | 1    | 15.00  | 4.85  | 0.20  | 14.55    |
| Ch 180.00m to Ch 195.50m                         |      | 1    | 15.50  | 4.90  | 0.20  | 15.19    |
| <b>Rachenahalli</b>                              |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Bakery road) (WD387)     |      | 1    | 15.00  | 8.50  | 0.20  | 25.50    |
| Ch 15.00m to Ch 30.00m                           |      | 1    | 15.00  | 8.20  | 0.20  | 24.60    |
| Ch 30.00m to Ch 45.00m                           |      | 1    | 15.00  | 8.10  | 0.20  | 24.30    |
| Ch 45.00m to Ch 60.00m                           |      | 1    | 15.00  | 7.60  | 0.20  | 22.80    |
| Ch 60.00m to Ch 75.00m                           |      | 1    | 15.00  | 7.60  | 0.20  | 22.80    |
| Ch 75.00m to Ch 90.00m                           |      | 1    | 15.00  | 7.25  | 0.20  | 21.75    |
| Ch 90.00m to Ch 105.00m                          |      | 1    | 15.00  | 7.20  | 0.20  | 21.60    |
| Ch 105.00m to Ch 120.00m                         |      | 1    | 15.00  | 6.65  | 0.20  | 19.95    |
| Ch 120.00m to Ch 135.00m                         |      | 1    | 15.00  | 7.20  | 0.20  | 21.60    |
| Ch 135.00m to Ch 150.00m                         |      | 1    | 15.00  | 7.60  | 0.20  | 22.80    |
| Ch 150.00m to Ch 165.00m                         |      | 1    | 15.00  | 7.40  | 0.20  | 22.20    |
| Ch 165.00m to Ch 180.00m                         |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |
| Ch 180.00m to Ch 195.00m                         |      | 1    | 15.00  | 6.00  | 0.20  | 18.00    |
| Ch 195.00m to Ch 210.00m                         |      | 1    | 15.00  | 6.20  | 0.20  | 18.60    |
| Ch 210.00m to Ch 225.00m                         |      | 1    | 15.00  | 6.80  | 0.20  | 20.40    |
| Ch 225.00m to Ch 240.00m                         |      | 1    | 15.00  | 5.00  | 0.20  | 15.00    |
| Ch 240.00m to Ch 255.00m                         |      | 1    | 15.00  | 7.00  | 0.20  | 21.00    |
| Ch 255.00m to Ch 270.00m                         |      | 1    | 15.00  | 6.30  | 0.20  | 18.90    |
| Ch 270.00m to Ch 285.00m                         |      | 1    | 15.00  | 6.20  | 0.20  | 18.60    |

*Handwritten signature*  
12-04-24

| Description                                       | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|---------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 285.00m to Ch 300.00m                          |      | 1    | 15.00  | 6.35  | 0.20  | 19.05    |
| Ch 300.00m to Ch 315.00m                          |      | 1    | 15.00  | 5.55  | 0.20  | 16.65    |
| Ch 315.00m to Ch 330.00m                          |      | 1    | 15.00  | 5.20  | 0.20  | 15.60    |
| Ch 330.00m to Ch 345.00m                          |      | 1    | 15.00  | 6.25  | 0.20  | 18.75    |
| Ch 345.00m to Ch 368.00m                          |      | 1    | 23.00  | 7.90  | 0.20  | 36.34    |
| Saralpalaya                                       |      |      |        |       |       |          |
| Thanisandra Mn road RHS                           |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Army colony) (W1082)      |      | 1    | 15.00  | 5.70  | 0.20  | 17.10    |
| Ch 15.00m to Ch 30.00m                            |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |
| Ch 30.00m to Ch 45.00m                            |      | 1    | 15.00  | 5.85  | 0.20  | 17.55    |
| Ch 45.00m to Ch 60.00m                            |      | 1    | 15.00  | 5.55  | 0.20  | 16.65    |
| Ch 60.00m to Ch 75.00m                            |      | 1    | 15.00  | 5.20  | 0.20  | 15.60    |
| Ch 75.00m to Ch 90.00m                            |      | 1    | 15.00  | 5.25  | 0.20  | 15.75    |
| Ch 90.00m to Ch 105.00m                           |      | 1    | 15.00  | 5.45  | 0.20  | 16.35    |
| Ch 105.00m to Ch 120.00m                          |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |
| Ch 120.00m to Ch 135.00m                          |      | 1    | 15.00  | 6.10  | 0.20  | 18.30    |
| Ch 135.00m to Ch 150.00m                          |      | 1    | 15.00  | 5.05  | 0.20  | 15.15    |
| Ch 150.00m to Ch 165.00m                          |      | 1    | 15.00  | 4.65  | 0.20  | 13.95    |
| Ch 165.00m to Ch 178.00m                          |      | 1    | 13.00  | 4.55  | 0.20  | 11.83    |
| Ch 00.00m to Ch 15.00m (govt school road) (W1517) |      | 1    | 15.00  | 4.50  | 0.20  | 13.50    |
| Ch 15.00m to Ch 30.00m                            |      | 1    | 15.00  | 3.85  | 0.20  | 11.55    |
| Ch 30.00m to Ch 45.00m                            |      | 1    | 15.00  | 4.65  | 0.20  | 13.95    |
| Ch 45.00m to Ch 60.00m                            |      | 1    | 15.00  | 4.90  | 0.20  | 14.70    |
| Ch 60.00m to Ch 75.00m                            |      | 1    | 15.00  | 4.75  | 0.20  | 14.25    |
| Ch 75.00m to Ch 90.00m                            |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 90.00m to Ch 105.00m                           |      | 1    | 15.00  | 4.00  | 0.20  | 12.00    |
| Ch 105.00m to Ch 120.00m                          |      | 1    | 15.00  | 4.05  | 0.20  | 12.15    |
| Ch 120.00m to Ch 135.00m                          |      | 1    | 15.00  | 4.45  | 0.20  | 13.35    |
| Ch 135.00m to Ch 148.20m                          |      | 1    | 13.20  | 5.30  | 0.20  | 13.99    |
| Ch 00.00m to Ch 15.00m (Brundhavan road) (W1108)  |      | 1    | 15.00  | 5.30  | 0.20  | 15.90    |
| Ch 15.00m to Ch 30.00m                            |      | 1    | 15.00  | 4.90  | 0.20  | 14.70    |
| Ch 30.00m to Ch 45.00m                            |      | 1    | 15.00  | 4.65  | 0.20  | 13.95    |
| Ch 45.00m to Ch 60.00m                            |      | 1    | 15.00  | 4.85  | 0.20  | 14.55    |
| Ch 60.00m to Ch 75.00m                            |      | 1    | 15.00  | 4.55  | 0.20  | 13.65    |

| Description                                                         | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|---------------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 75.00m to Ch 90.00m                                              |      | 1    | 15.00  | 4.50  | 0.20  | 13.50    |
| Ch 90.00m to Ch 105.00m                                             |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 105.00m to Ch 123.00m                                            |      | 1    | 18.00  | 4.90  | 0.20  | 17.64    |
| Vidyasagar roads LHS and RHS side                                   |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (4th main road RHS) (L-shape road) (W1795)   |      | 1    | 15.00  | 5.30  | 0.20  | 15.90    |
| Ch 15.00m to Ch 30.00m                                              |      | 1    | 15.00  | 4.90  | 0.20  | 14.70    |
| Ch 30.00m to Ch 45.00m                                              |      | 1    | 15.00  | 4.65  | 0.20  | 13.95    |
| Ch 45.00m to Ch 60.00m                                              |      | 1    | 15.00  | 4.85  | 0.20  | 14.55    |
| Ch 60.00m to Ch 75.00m                                              |      | 1    | 15.00  | 4.55  | 0.20  | 13.65    |
| Ch 75.00m to Ch 91.10m                                              |      | 1    | 16.10  | 4.50  | 0.20  | 14.49    |
| Ch 00.00m to Ch 15.00m (3rd main road RHS) (HP scholl road) (W1779) |      | 1    | 15.00  | 7.15  | 0.20  | 21.45    |
| Ch 15.00m to Ch 30.00m                                              |      | 1    | 15.00  | 7.45  | 0.20  | 22.35    |
| Ch 30.00m to Ch 45.00m                                              |      | 1    | 15.00  | 7.80  | 0.20  | 23.40    |
| Ch 45.00m to Ch 60.00m                                              |      | 1    | 15.00  | 7.15  | 0.20  | 21.45    |
| Ch 60.00m to Ch 75.00m                                              |      | 1    | 15.00  | 6.75  | 0.20  | 20.25    |
| Ch 75.00m to Ch 90.00m                                              |      | 1    | 15.00  | 7.05  | 0.20  | 21.15    |
| Ch 90.00m to Ch 105.00m                                             |      | 1    | 15.00  | 7.00  | 0.20  | 21.00    |
| Ch 105.00m to Ch 120.00m                                            |      | 1    | 15.00  | 7.05  | 0.20  | 21.15    |
| Ch 120.00m to Ch 135.00m                                            |      | 1    | 15.00  | 7.10  | 0.20  | 21.30    |
| Ch 135.00m to Ch 150.00m                                            |      | 1    | 15.00  | 6.85  | 0.20  | 20.55    |
| Ch 150.00m to Ch 165.00m                                            |      | 1    | 15.00  | 6.90  | 0.20  | 20.70    |
| Ch 165.00m to Ch 182.40m                                            |      | 1    | 17.40  | 7.10  | 0.20  | 24.71    |
| Ch 00.00m to Ch 15.00m (Rasool sab layout main road RHS) (W1176)    |      | 1    | 15.00  | 4.60  | 0.20  | 13.80    |
| Ch 15.00m to Ch 33.30m                                              |      | 1    | 18.30  | 4.50  | 0.20  | 16.47    |
| Ch 00.00m to Ch 15.00m (Rasool sab layout main road LHS) (W1176)    |      | 1    | 15.00  | 4.70  | 0.20  | 14.10    |
| Ch 15.00m to Ch 30.00m                                              |      | 1    | 15.00  | 4.50  | 0.20  | 13.50    |
| Ch 30.00m to Ch 45.00m                                              |      | 1    | 15.00  | 4.60  | 0.20  | 13.80    |
| Ch 45.00m to Ch 60.00m                                              |      | 1    | 15.00  | 4.60  | 0.20  | 13.80    |
| Ch 60.00m to Ch 75.00m                                              |      | 1    | 15.00  | 4.75  | 0.20  | 14.25    |
| Ch 75.00m to Ch 90.00m                                              |      | 1    | 15.00  | 5.10  | 0.20  | 15.30    |
| Ch 90.00m to Ch 105.00m                                             |      | 1    | 15.00  | 5.20  | 0.20  | 15.60    |
| Ch 105.00m to Ch 120.00m                                            |      | 1    | 15.00  | 4.55  | 0.20  | 13.65    |
| Ch 120.00m to Ch 135.00m                                            |      | 1    | 15.00  | 3.80  | 0.20  | 11.40    |

| Description                                                    | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|----------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 150.00m                                        |      | 1    | 15.00  | 4.30  | 0.20  | 12.90    |
| Ch 150.00m to Ch 165.00m                                       |      | 1    | 15.00  | 4.60  | 0.20  | 13.80    |
| Ch 165.00m to Ch 180.00m                                       |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 180.00m to Ch 195.00m                                       |      | 1    | 15.00  | 5.30  | 0.20  | 15.90    |
| Ch 195.00m to Ch 213.30m                                       |      | 1    | 18.30  | 5.30  | 0.20  | 19.40    |
| Ch 00.00m to Ch 15.00m (Gupta layout for factory road) (M1827) |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 15.00m to Ch 30.00m                                         |      | 1    | 15.00  | 5.00  | 0.20  | 15.00    |
| Ch 30.00m to Ch 45.00m                                         |      | 1    | 15.00  | 6.05  | 0.20  | 18.15    |
| Ch 45.00m to Ch 60.00m                                         |      | 1    | 15.00  | 6.30  | 0.20  | 18.90    |
| Ch 60.00m to Ch 75.00m                                         |      | 1    | 15.00  | 5.50  | 0.20  | 16.50    |
| Ch 75.00m to Ch 90.00m                                         |      | 1    | 15.00  | 5.50  | 0.20  | 16.50    |
| Ch 90.00m to Ch 105.00m                                        |      | 1    | 15.00  | 5.00  | 0.20  | 15.00    |
| Ch 105.00m to Ch 120.00m                                       |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 120.00m to Ch 135.00m                                       |      | 1    | 15.00  | 6.05  | 0.20  | 18.15    |
| Ch 135.00m to Ch 150.00m                                       |      | 1    | 15.00  | 6.20  | 0.20  | 18.60    |
| Ch 150.00m to Ch 165.00m                                       |      | 1    | 15.00  | 5.90  | 0.20  | 17.70    |
| Ch 165.00m to Ch 180.00m                                       |      | 1    | 15.00  | 5.80  | 0.20  | 17.40    |
| Ch 180.00m to Ch 195.00m                                       |      | 1    | 15.00  | 5.55  | 0.20  | 16.65    |
| Ch 195.00m to Ch 210.00m                                       |      | 1    | 15.00  | 5.15  | 0.20  | 15.45    |
| Ch 210.00m to Ch 225.20m                                       |      | 1    | 15.20  | 4.70  | 0.20  | 14.29    |
| Ch 00.00m to Ch 15.00m (2nd main road RHS) (M1773)             |      | 1    | 15.00  | 4.05  | 0.20  | 12.15    |
| Ch 15.00m to Ch 30.00m                                         |      | 1    | 15.00  | 3.90  | 0.20  | 11.70    |
| Ch 30.00m to Ch 45.00m                                         |      | 1    | 15.00  | 3.35  | 0.20  | 10.05    |
| Ch 45.00m to Ch 60.00m                                         |      | 1    | 15.00  | 3.45  | 0.20  | 10.35    |
| Ch 60.00m to Ch 68.10m                                         |      | 1    | 8.10   | 4.35  | 0.20  | 7.05     |
| Ch 00.00m to Ch 5.80m (Approach)                               |      | 1    | 5.80   | 4.50  | 0.20  | 5.22     |
| Ch 00.00m to Ch 15.00m                                         |      | 1    | 15.00  | 4.70  | 0.20  | 14.10    |
| Ch 15.00m to Ch 30.00m                                         |      | 1    | 15.00  | 4.70  | 0.20  | 14.10    |
| Ch 30.00m to Ch 45.00m                                         |      | 1    | 15.00  | 4.20  | 0.20  | 12.60    |
| Ch 45.00m to Ch 60.00m                                         |      | 1    | 15.00  | 4.60  | 0.20  | 13.80    |
| Ch 60.00m to Ch 80.50m                                         |      | 1    | 20.50  | 5.05  | 0.20  | 20.71    |

*dr*  
12.01.2024

| Description                                         | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-----------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m (2nd main road LHS)          |      | 1    | 15.00  | 6.30  | 0.20  | 18.90    |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 6.40  | 0.20  | 19.20    |
| Ch 30.00m to Ch 45.00m                              |      | 1    | 15.00  | 6.20  | 0.20  | 18.60    |
| Ch 45.00m to Ch 51.30m                              |      | 1    | 6.30   | 6.30  | 0.20  | 7.94     |
| <b>Thanisandra Mn road LHS</b>                      |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Balon factory road) (W0992) |      | 1    | 15.00  | 5.55  | 0.20  | 16.65    |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 5.65  | 0.20  | 16.95    |
| Ch 30.00m to Ch 45.00m                              |      | 1    | 15.00  | 5.95  | 0.20  | 17.85    |
| Ch 45.00m to Ch 60.00m                              |      | 1    | 15.00  | 5.90  | 0.20  | 17.70    |
| Ch 60.00m to Ch 75.00m                              |      | 1    | 15.00  | 5.75  | 0.20  | 17.25    |
| Ch 75.00m to Ch 90.00m                              |      | 1    | 15.00  | 5.65  | 0.20  | 16.95    |
| Ch 90.00m to Ch 105.00m                             |      | 1    | 15.00  | 5.45  | 0.20  | 16.35    |
| Ch 105.00m to Ch 120.00m                            |      | 1    | 15.00  | 5.25  | 0.20  | 15.75    |
| Ch 120.00m to Ch 135.00m                            |      | 1    | 15.00  | 5.15  | 0.20  | 15.45    |
| Ch 135.00m to Ch 150.00m                            |      | 1    | 15.00  | 5.35  | 0.20  | 16.05    |
| Ch 150.00m to Ch 165.00m                            |      | 1    | 15.00  | 5.30  | 0.20  | 15.90    |
| Ch 165.00m to Ch 180.00m                            |      | 1    | 15.00  | 4.85  | 0.20  | 14.55    |
| Ch 180.00m to Ch 195.00m                            |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 195.00m to Ch 210.00m                            |      | 1    | 15.00  | 5.10  | 0.20  | 15.30    |
| Ch 210.00m to Ch 225.00m                            |      | 1    | 15.00  | 5.40  | 0.20  | 16.20    |
| Ch 225.00m to Ch 240.00m                            |      | 1    | 15.00  | 6.10  | 0.20  | 18.30    |
| Ch 240.00m to Ch 255.00m                            |      | 1    | 15.00  | 6.90  | 0.20  | 20.70    |
| Ch 255.00m to Ch 270.00m                            |      | 1    | 15.00  | 7.75  | 0.20  | 23.25    |
| Ch 270.00m to Ch 285.00m                            |      | 1    | 15.00  | 8.65  | 0.20  | 25.95    |
| Ch 285.00m to Ch 300.00m                            |      | 1    | 15.00  | 7.85  | 0.20  | 23.55    |
| Ch 300.00m to Ch 315.00m                            |      | 1    | 15.00  | 6.55  | 0.20  | 19.65    |
| Ch 315.00m to Ch 330.00m                            |      | 1    | 15.00  | 6.80  | 0.20  | 20.40    |
| Ch 330.00m to Ch 345.00m                            |      | 1    | 15.00  | 6.35  | 0.20  | 19.05    |
| Ch 345.00m to Ch 360.00m                            |      | 1    | 15.00  | 5.65  | 0.20  | 16.95    |
| Ch 360.00m to Ch 375.00m                            |      | 1    | 15.00  | 6.40  | 0.20  | 19.20    |
| Ch 375.00m to Ch 390.00m                            |      | 1    | 15.00  | 6.85  | 0.20  | 20.55    |
| Ch 390.00m to Ch 405.00m                            |      | 1    | 15.00  | 6.80  | 0.20  | 20.40    |
| Ch 405.00m to Ch 420.00m                            |      | 1    | 15.00  | 6.35  | 0.20  | 19.05    |
| Ch 420.00m to Ch 435.00m                            |      | 1    | 15.00  | 6.15  | 0.20  | 18.45    |
| Ch 435.00m to Ch 448.40m                            |      | 1    | 13.40  | 7.05  | 0.20  | 18.89    |

| Description                                        | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|----------------------------------------------------|------|------|--------|-------|-------|----------|
| <b>Highway men layout</b>                          |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Temple road) (W0188)       |      | 1    | 15.00  | 6.30  | 0.20  | 18.90    |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 6.00  | 0.20  | 18.00    |
| Ch 30.00m to Ch 46.80m                             |      | 1    | 16.80  | 5.05  | 0.20  | 16.97    |
| Ch 00.00m to Ch 14.50m (Approach)                  |      | 1    | 14.50  | 5.10  | 0.20  | 14.79    |
| Ch 00.00m to Ch 19.50m (2nd cross road)            |      | 1    | 19.50  | 4.20  | 0.20  | 16.38    |
| Ch 00.00m to Ch 15.00m (3rd cross road)            |      | 1    | 15.00  | 4.10  | 0.20  | 12.30    |
| Ch 15.00m to Ch 22.30m                             |      | 1    | 7.30   | 4.20  | 0.20  | 6.13     |
| <b>Vidya sagar roads</b>                           |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (2nd cross road) (W1172)    |      | 1    | 15.00  | 5.95  | 0.20  | 17.85    |
| Ch 15.00m to Ch 30.60m                             |      | 1    | 15.60  | 6.05  | 0.20  | 18.88    |
| Ch 00.00m to Ch 16.60m (1st cross road) (W1168)    |      | 1    | 16.60  | 4.45  | 0.20  | 14.77    |
| Ch 00.00m to Ch 15.00m (1st main road LHS) (W1487) |      | 1    | 15.00  | 4.55  | 0.20  | 13.65    |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 4.40  | 0.20  | 13.20    |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 4.65  | 0.20  | 13.95    |
| Ch 45.00m to Ch 60.00m                             |      | 1    | 15.00  | 4.90  | 0.20  | 14.70    |
| Ch 60.00m to Ch 72.60m                             |      | 1    | 12.60  | 4.70  | 0.20  | 11.84    |
| <b>Sawmill cross roads</b>                         |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (7th cross LHS) (W1547)     |      | 1    | 15.00  | 5.80  | 0.20  | 17.40    |
| Ch 15.00m to Ch 33.50m                             |      | 1    | 18.50  | 5.80  | 0.20  | 21.46    |
| Ch 00.00m to Ch 15.00m (9th cross RHS) (W1539)     |      | 1    | 15.00  | 5.95  | 0.20  | 17.85    |
| Ch 15.00m to Ch 22.80m                             |      | 1    | 7.80   | 5.85  | 0.20  | 9.13     |
| Ch 00.00m to Ch 15.00m (4th cross RHS) (W1509)     |      | 1    | 15.00  | 4.10  | 0.20  | 12.30    |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 4.85  | 0.20  | 14.55    |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 5.10  | 0.20  | 15.30    |
| Ch 45.00m to Ch 60.00m                             |      | 1    | 15.00  | 5.20  | 0.20  | 15.60    |
| Ch 60.00m to Ch 80.20m                             |      | 1    | 20.20  | 5.15  | 0.20  | 20.81    |
| Ch 00.00m to Ch 15.00m (3rd cross RHS) (W1507)     |      | 1    | 15.00  | 5.15  | 0.20  | 15.45    |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 4.65  | 0.20  | 13.95    |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 4.80  | 0.20  | 14.40    |
| Ch 45.00m to Ch 64.30m                             |      | 1    | 19.30  | 4.75  | 0.20  | 18.34    |
| Ch 00.00m to Ch 15.00m (2nd cross RHS) (W1495)     |      | 1    | 15.00  | 7.65  | 0.20  | 22.95    |
| Ch 15.00m to Ch 26.70m                             |      | 1    | 11.70  | 7.60  | 0.20  | 17.78    |

*ds*  
12.04.24

| Description                                        | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|----------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m (1st sub cross LHS)         |      | 1    | 15.00  | 5.20  | 0.20  | 15.60    |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 5.45  | 0.20  | 16.35    |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 5.60  | 0.20  | 16.80    |
| Ch 45.00m to Ch 60.00m                             |      | 1    | 15.00  | 5.55  | 0.20  | 16.65    |
| Ch 60.00m to Ch 74.60m                             |      | 1    | 14.60  | 6.10  | 0.20  | 17.81    |
| Ch 00.00m to Ch 15.00m (2nd sub cross LHS) (W1038) |      | 1    | 15.00  | 6.00  | 0.20  | 18.00    |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 5.35  | 0.20  | 16.05    |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 5.35  | 0.20  | 16.05    |
| Ch 45.00m to Ch 60.00m                             |      | 1    | 15.00  | 5.45  | 0.20  | 16.35    |
| Ch 60.00m to Ch 75.00m                             |      | 1    | 15.00  | 5.50  | 0.20  | 16.50    |
| Ch 75.00m to Ch 84.40m                             |      | 1    | 9.40   | 5.60  | 0.20  | 10.53    |
| For CC Roads                                       |      |      |        |       |       |          |
| Saraipalya (Thanisandra Mn road LHS)               |      |      |        |       |       |          |
| Balon factory cross roads                          |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (1st cross LHS) (W1481)     |      | 1    | 15.00  | 3.60  | 0.15  | 8.10     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 3.50  | 0.15  | 7.88     |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 3.70  | 0.15  | 8.33     |
| Ch 45.00m to Ch 65.00m                             |      | 1    | 20.00  | 3.80  | 0.15  | 11.40    |
| Ch 00.00m to Ch 15.00m (1st cross RHS) (W1479)     |      | 1    | 15.00  | 3.10  | 0.15  | 6.98     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 3.30  | 0.15  | 7.43     |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 3.10  | 0.15  | 6.98     |
| Ch 45.00m to Ch 50.50m                             |      | 1    | 5.50   | 3.30  | 0.15  | 2.72     |
| Ch 00.00m to Ch 15.00m (2nd cross LHS) (W1471)     |      | 1    | 15.00  | 3.30  | 0.15  | 7.43     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 3.20  | 0.15  | 7.20     |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 3.40  | 0.15  | 7.65     |
| Ch 45.00m to Ch 63.00m                             |      | 1    | 18.00  | 3.40  | 0.15  | 9.18     |
| Ch 00.00m to Ch 15.00m (2nd cross RHS) (W1469)     |      | 1    | 15.00  | 4.10  | 0.15  | 9.23     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 4.20  | 0.15  | 9.45     |
| Ch 30.00m to Ch 47.50m                             |      | 1    | 17.50  | 3.90  | 0.15  | 10.24    |
| Ch 00.00m to Ch 15.00m (3rd cross LHS) (W1463)     |      | 1    | 15.00  | 3.80  | 0.15  | 8.55     |
| Ch 15.00m to Ch 30.00m                             |      | 1    | 15.00  | 3.60  | 0.15  | 8.10     |
| Ch 30.00m to Ch 45.00m                             |      | 1    | 15.00  | 3.70  | 0.15  | 8.33     |
| Ch 45.00m to Ch 59.00m                             |      | 1    | 14.00  | 3.70  | 0.15  | 7.77     |

*[Signature]*  
12.04.21

| Description                                         | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-----------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m (3rd cross RHS) (W1461)      |      | 1    | 15.00  | 3.70  | 0.15  | 8.33     |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 3.60  | 0.15  | 8.10     |
| Ch 30.00m to Ch 46.00m                              |      | 1    | 16.00  | 3.80  | 0.15  | 9.12     |
| Ch 00.00m to Ch 15.00m (4th cross LHS) (W1455)      |      | 1    | 15.00  | 4.00  | 0.15  | 9.00     |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 3.90  | 0.15  | 8.78     |
| Ch 30.00m to Ch 45.00m                              |      | 1    | 15.00  | 4.10  | 0.15  | 9.23     |
| Ch 45.00m to Ch 55.00m                              |      | 1    | 10.00  | 4.00  | 0.15  | 6.00     |
| Ch 00.00m to Ch 15.00m (4th cross RHS) (W1451)      |      | 1    | 15.00  | 3.10  | 0.15  | 6.98     |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 3.00  | 0.15  | 6.75     |
| Ch 30.00m to Ch 43.50m                              |      | 1    | 13.50  | 2.90  | 0.15  | 5.87     |
| Ch 00.00m to Ch 15.00m (1st Sub cross road) (W0998) |      | 1    | 15.00  | 4.80  | 0.15  | 10.80    |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 4.70  | 0.15  | 10.58    |
| Ch 30.00m to Ch 45.00m                              |      | 1    | 15.00  | 4.90  | 0.15  | 11.03    |
| Ch 45.00m to Ch 51.00m                              |      | 1    | 6.00   | 4.80  | 0.15  | 4.32     |
| Ch 00.00m to Ch 15.00m ( cross road A) (W1449)      |      | 1    | 15.00  | 3.30  | 0.15  | 7.43     |
| Ch 15.00m to Ch 38.00m                              |      | 1    | 23.00  | 3.50  | 0.15  | 12.08    |
| Ch 00.00m to Ch 15.00m ( cross road B) (W1445)      |      | 1    | 15.00  | 3.60  | 0.15  | 8.10     |
| Ch 15.00m to Ch 31.50m                              |      | 1    | 16.50  | 3.60  | 0.15  | 8.91     |
| Ch 00.00m to Ch 15.00m (5th cross RHS) (W1447)      |      | 1    | 15.00  | 3.50  | 0.15  | 7.88     |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 3.60  | 0.15  | 8.10     |
| Ch 30.00m to Ch 45.00m                              |      | 1    | 15.00  | 3.50  | 0.15  | 7.88     |
| Ch 45.00m to Ch 51.50m                              |      | 1    | 6.50   | 3.40  | 0.15  | 3.32     |
| Ch 00.00m to Ch 15.00m (6th cross RHS) (W1443)      |      | 1    | 15.00  | 3.80  | 0.15  | 8.55     |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 3.70  | 0.15  | 8.33     |
| Ch 30.00m to Ch 45.00m                              |      | 1    | 15.00  | 3.80  | 0.15  | 8.55     |
| Ch 45.00m to Ch 57.00m                              |      | 1    | 12.00  | 3.90  | 0.15  | 7.02     |
| <b>Abubakar masjid cross roads</b>                  |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (1st cross LHS) (W1479)      |      | 1    | 15.00  | 3.50  | 0.15  | 7.88     |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 3.40  | 0.15  | 7.65     |
| Ch 30.00m to Ch 42.00m                              |      | 1    | 12.00  | 3.60  | 0.15  | 6.48     |
| Ch 00.00m to Ch 15.00m (2nd cross LHS) (W1469)      |      | 1    | 15.00  | 3.70  | 0.15  | 8.33     |
| Ch 15.00m to Ch 30.00m                              |      | 1    | 15.00  | 3.60  | 0.15  | 8.10     |
| Ch 30.00m to Ch 45.00m                              |      | 1    | 15.00  | 3.70  | 0.15  | 8.33     |
| Ch 45.00m to Ch 60.00m                              |      | 1    | 15.00  | 3.80  | 0.15  | 8.55     |

| Description                                    | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 73.00m                         |      | 1    | 13.00  | 3.70  | 0.15  | 7.22     |
| Ch 00.00m to Ch 15.00m (3rd cross LHS) (W1461) |      | 1    | 15.00  | 4.00  | 0.15  | 9.00     |
| Ch 15.00m to Ch 30.00m                         |      | 1    | 15.00  | 4.10  | 0.15  | 9.23     |
| Ch 30.00m to Ch 45.00m                         |      | 1    | 15.00  | 4.00  | 0.15  | 9.00     |
| Ch 45.00m to Ch 60.00m                         |      | 1    | 15.00  | 3.90  | 0.15  | 8.78     |
| Ch 60.00m to Ch 74.00m                         |      | 1    | 14.00  | 3.90  | 0.15  | 8.19     |
| Ch 00.00m to Ch 15.00m (4th cross LHS) (W1451) |      | 1    | 15.00  | 3.40  | 0.15  | 7.65     |
| Ch 15.00m to Ch 30.00m                         |      | 1    | 15.00  | 3.50  | 0.15  | 7.88     |
| Ch 30.00m to Ch 45.00m                         |      | 1    | 15.00  | 3.40  | 0.15  | 7.65     |
| Ch 45.00m to Ch 53.50m                         |      | 1    | 8.50   | 3.30  | 0.15  | 4.21     |
| Total Quantity:-                               | Cum  |      |        |       |       | 4837.92  |

Assistant Engineer

Assistant Executive Engineer  
Project Division  
Yolahanka Zone  
BBMP, Bangalore - 92

| Description                                                                                                                                                                                                                                                                                                                                           | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Measurement Recorded on :                                                                                                                                                                                                                                                                                                                             |      |      |        |       |       |          |
| KSRRB M500-6. Providing and applying primer coat with 5.5. bitumen emulsion on prepared surface of granular base such as WMM including cleaning of road surface and spraying primer at the rate of 0.60 kg / sqm using mechanical means complete as per specifications Clause 502 of MORTH V revision(P.No-158) No-21.6), issue rate dated 03-01-2020 |      |      |        |       |       |          |
| <b>RACHENAHALLI (BHAGYASHREE LAYOUT)</b>                                                                                                                                                                                                                                                                                                              |      |      |        |       |       |          |
| Ch 0.00m to Ch 15.00m (1st cross road RHS) (W0699)                                                                                                                                                                                                                                                                                                    |      | 1    | 15.00  | 6.10  |       | 91.50    |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.10  |       | 91.50    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.00  |       | 90.00    |
| Ch 45.00m to Ch 60.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.50  |       | 82.50    |
| Ch 60.00m to Ch 87.20m                                                                                                                                                                                                                                                                                                                                |      | 1    | 27.20  | 5.50  |       | 149.60   |
| Ch 0.00m to Ch 15.00m (1st main road upto green pole) (W0460)                                                                                                                                                                                                                                                                                         |      | 1    | 15.00  | 5.80  |       | 87.00    |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.70  |       | 85.50    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.15  |       | 92.25    |
| Ch 45.00m to Ch 60.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.55  |       | 98.25    |
| Ch 60.00m to Ch 75.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.40  |       | 96.00    |
| Ch 75.00m to Ch 90.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.30  |       | 94.50    |
| Ch 90.00m to Ch 105.00m                                                                                                                                                                                                                                                                                                                               |      | 1    | 15.00  | 6.40  |       | 96.00    |
| Ch 105.00m to Ch 120.00m                                                                                                                                                                                                                                                                                                                              |      | 1    | 15.00  | 6.20  |       | 93.00    |
| Ch 120.00m to Ch 137.40m                                                                                                                                                                                                                                                                                                                              |      | 1    | 17.40  | 5.90  |       | 102.66   |
| <b>RAILWAY MEN LAYOUT</b>                                                                                                                                                                                                                                                                                                                             |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m(1st main road) (W0188)                                                                                                                                                                                                                                                                                                         |      | 1    | 15.00  | 6.80  |       | 102.00   |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.25  |       | 93.75    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.55  |       | 83.25    |
| Ch 45.00m to Ch 60.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.50  |       | 82.50    |
| Ch 60.00m to Ch 75.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.25  |       | 78.75    |
| Ch 75.00m to Ch 90.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.05  |       | 75.75    |
| Ch 90.00m to Ch 110.00m                                                                                                                                                                                                                                                                                                                               |      | 1    | 20.00  | 5.05  |       | 101.00   |
| Ch 0.00m to Ch 15.00m ( 1st Sub Cross Rd)                                                                                                                                                                                                                                                                                                             |      | 1    | 15.00  | 5.80  |       | 87.00    |
| Ch 15.00m to Ch 31.20m                                                                                                                                                                                                                                                                                                                                |      | 1    | 16.20  | 5.80  |       | 93.96    |
| Ch 0.00m to Ch 15.00m (2nd main road) (W0190)                                                                                                                                                                                                                                                                                                         |      | 1    | 15.00  | 5.00  |       | 75.00    |
| Ch 15.00m to Ch 30.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.40  |       | 81.00    |
| Ch 30.00m to Ch 45.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 5.90  |       | 88.50    |
| Ch 45.00m to Ch 60.00m                                                                                                                                                                                                                                                                                                                                |      | 1    | 15.00  | 6.25  |       | 93.75    |

| Description                                   | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-----------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 60.00m to Ch 75.00m                        |      | 1    | 15.00  | 5.85  |       | 87.75    |
| Ch 75.00m to Ch 90.00m                        |      | 1    | 15.00  | 5.35  |       | 80.25    |
| Ch 90.00m to Ch 105.00m                       |      | 1    | 15.00  | 5.90  |       | 88.50    |
| Ch 105.00m to Ch 120.00m                      |      | 1    | 15.00  | 6.60  |       | 99.00    |
| Ch 120.00m to Ch 135.00m                      |      | 1    | 15.00  | 6.60  |       | 99.00    |
| Ch 135.00m to Ch 150.00m                      |      | 1    | 15.00  | 6.45  |       | 96.75    |
| Ch 150.00m to Ch 165.00m                      |      | 1    | 15.00  | 6.65  |       | 99.75    |
| Ch 165.00m to Ch 180.00m                      |      | 1    | 15.00  | 6.85  |       | 102.75   |
| Ch 180.00m to Ch 195.00m                      |      | 1    | 15.00  | 6.70  |       | 100.50   |
| Ch 195.00m to Ch 210.00m                      |      | 1    | 15.00  | 6.30  |       | 94.50    |
| Ch 210.00m to Ch 237.00m                      |      | 1    | 27.00  | 6.05  |       | 163.35   |
| Ch 0.00m to Ch 15.00m (3rd main road) (W0194) |      | 1    | 15.00  | 6.30  |       | 94.50    |
| Ch 15.00m to Ch 30.00m                        |      | 1    | 15.00  | 6.45  |       | 96.75    |
| Ch 30.00m to Ch 45.00m                        |      | 1    | 15.00  | 6.55  |       | 98.25    |
| Ch 45.00m to Ch 60.00m                        |      | 1    | 15.00  | 6.55  |       | 98.25    |
| Ch 60.00m to Ch 75.00m                        |      | 1    | 15.00  | 6.70  |       | 100.50   |
| Ch 75.00m to Ch 90.00m                        |      | 1    | 15.00  | 6.85  |       | 102.75   |
| Ch 90.00m to Ch 105.00m                       |      | 1    | 15.00  | 6.85  |       | 102.75   |
| Ch 105.00m to Ch 120.00m                      |      | 1    | 15.00  | 6.80  |       | 102.00   |
| Ch 120.00m to Ch 135.00m                      |      | 1    | 15.00  | 6.60  |       | 99.00    |
| Ch 135.00m to Ch 156.30m                      |      | 1    | 21.30  | 6.20  |       | 132.06   |
| Ch 0.00m to Ch 15.00m (4th main road) (W0200) |      | 1    | 15.00  | 6.40  |       | 96.00    |
| Ch 15.00m to Ch 30.00m                        |      | 1    | 15.00  | 6.55  |       | 98.25    |
| Ch 30.00m to Ch 45.00m                        |      | 1    | 15.00  | 6.70  |       | 100.50   |
| Ch 45.00m to Ch 70.00m                        |      | 1    | 25.00  | 6.80  |       | 170.00   |
| Ch 0.00m to Ch 15.00m (5th main road) (W0254) |      | 1    | 15.00  | 7.10  |       | 106.50   |
| Ch 15.00m to Ch 30.00m                        |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 30.00m to Ch 45.00m                        |      | 1    | 15.00  | 6.25  |       | 93.75    |
| Ch 45.00m to Ch 60.00m                        |      | 1    | 15.00  | 6.45  |       | 96.75    |
| Ch 60.00m to Ch 75.00m                        |      | 1    | 15.00  | 6.85  |       | 102.75   |
| Ch 75.00m to Ch 90.00m                        |      | 1    | 15.00  | 6.80  |       | 102.00   |
| Ch 90.00m to Ch 105.00m                       |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 105.00m to Ch 120.00m                      |      | 1    | 15.00  | 6.45  |       | 96.75    |

| Description                                     | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 120.00m to Ch 135.00m                        |      | 1    | 15.00  | 6.05  |       | 90.75    |
| Ch 135.00m to Ch 150.00m                        |      | 1    | 15.00  | 5.85  |       | 87.75    |
| Ch 150.00m to Ch 165.00m                        |      | 1    | 15.00  | 5.85  |       | 87.75    |
| Ch 165.00m to Ch 180.00m                        |      | 1    | 15.00  | 5.70  |       | 85.50    |
| Ch 180.00m to Ch 195.00m                        |      | 1    | 15.00  | 5.55  |       | 83.25    |
| Ch 195.00m to Ch 210.00m                        |      | 1    | 15.00  | 5.45  |       | 81.75    |
| Ch 210.00m to Ch 225.00m                        |      | 1    | 15.00  | 5.20  |       | 78.00    |
| Ch 225.00m to Ch 240.00m                        |      | 1    | 15.00  | 4.95  |       | 74.25    |
| Ch 240.00m to Ch 255.00m                        |      | 1    | 15.00  | 4.85  |       | 72.75    |
| Ch 255.00m to Ch 276.00m                        |      | 1    | 21.00  | 4.65  |       | 97.65    |
| <b>Dasarahalli extension</b>                    |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Main road) (W0300)      |      | 1    | 15.00  | 6.50  |       | 97.50    |
| Ch 15.00m to Ch 30.00m                          |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 30.00m to Ch 45.00m                          |      | 1    | 15.00  | 6.85  |       | 102.75   |
| Ch 45.00m to Ch 60.00m                          |      | 1    | 15.00  | 6.90  |       | 103.50   |
| Ch 60.00m to Ch 75.00m                          |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 75.00m to Ch 90.00m                          |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 90.00m to Ch 105.00m                         |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 105.00m to Ch 120.00m                        |      | 1    | 15.00  | 6.70  |       | 100.50   |
| Ch 120.00m to Ch 135.00m                        |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 135.00m to Ch 150.00m                        |      | 1    | 15.00  | 6.55  |       | 98.25    |
| Ch 00.00m to Ch 15.00m (3rd cross road) (W0587) |      | 1    | 15.00  | 5.10  |       | 76.50    |
| Ch 15.00m to Ch 30.00m                          |      | 1    | 15.00  | 5.05  |       | 75.75    |
| Ch 30.00m to Ch 45.00m                          |      | 1    | 15.00  | 5.00  |       | 75.00    |
| Ch 45.00m to Ch 60.00m                          |      | 1    | 15.00  | 4.95  |       | 74.25    |
| Ch 60.00m to Ch 75.00m                          |      | 1    | 15.00  | 5.05  |       | 75.75    |
| Ch 75.00m to Ch 90.00m                          |      | 1    | 15.00  | 5.05  |       | 75.75    |
| Ch 90.00m to Ch 105.00m                         |      | 1    | 15.00  | 5.20  |       | 78.00    |
| Ch 105.00m to Ch 120.00m                        |      | 1    | 15.00  | 5.30  |       | 79.50    |
| Ch 120.00m to Ch 135.60m                        |      | 1    | 15.60  | 5.60  |       | 87.36    |
| Ch 00.00m to Ch 15.00m (Curve road) (W0316)     |      | 1    | 15.00  | 8.25  |       | 123.75   |
| Ch 15.00m to Ch 26.30m                          |      | 1    | 11.30  | 8.45  |       | 95.49    |
| Ch 00.00m to Ch 15.00m                          |      | 1    | 15.00  | 6.60  |       | 99.00    |
| Ch 15.00m to Ch 30.00m                          |      | 1    | 15.00  | 6.60  |       | 99.00    |

25.06.21

| Description                                                         | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|---------------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 00.00m to Ch 15.00m                                              |      | 1    | 15.00  | 6.60  |       | 99.00    |
| Ch 15.00m to Ch 30.00m                                              |      | 1    | 15.00  | 8.80  |       | 132.00   |
| Ch 30.00m to Ch 45.00m                                              |      | 1    | 15.00  | 6.15  |       | 92.25    |
| Ch 45.00m to Ch 60.00m                                              |      | 1    | 15.00  | 6.30  |       | 94.50    |
| Ch 60.00m to Ch 75.00m                                              |      | 1    | 15.00  | 6.15  |       | 92.25    |
| Ch 75.00m to Ch 90.00m                                              |      | 1    | 15.00  | 6.15  |       | 92.25    |
| Ch 90.00m to Ch 105.00m                                             |      | 1    | 15.00  | 5.65  |       | 84.75    |
| Ch 105.00m to Ch 120.00m (2nd cross road) (W0588)                   |      | 1    | 15.00  | 5.10  |       | 76.50    |
| Ch 120.00m to Ch 135.00m                                            |      | 1    | 15.00  | 5.05  |       | 75.75    |
| Ch 135.00m to Ch 150.00m                                            |      | 1    | 12.00  | 5.00  |       | 60.00    |
| Sanganakalya                                                        |      |      |        |       |       |          |
| Thamisaandra Min road RHS                                           |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Brundhavan road) (W1108)                    |      | 1    | 15.00  | 5.30  |       | 79.50    |
| Ch 15.00m to Ch 30.00m                                              |      | 1    | 15.00  | 4.90  |       | 73.50    |
| Ch 30.00m to Ch 45.00m                                              |      | 1    | 15.00  | 4.65  |       | 69.75    |
| Ch 45.00m to Ch 60.00m                                              |      | 1    | 15.00  | 4.85  |       | 72.75    |
| Ch 60.00m to Ch 75.00m                                              |      | 1    | 15.00  | 4.55  |       | 68.25    |
| Ch 75.00m to Ch 90.00m                                              |      | 1    | 15.00  | 4.50  |       | 67.50    |
| Ch 90.00m to Ch 105.00m                                             |      | 1    | 15.00  | 4.80  |       | 72.00    |
| Ch 105.00m to Ch 123.00m                                            |      | 1    | 18.00  | 4.90  |       | 88.20    |
| Widyasagar roads LHS and RHS side                                   |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (4th main road RHS) (L-stage road) (W1795)   |      | 1    | 15.00  | 5.30  |       | 79.50    |
| Ch 15.00m to Ch 30.00m                                              |      | 1    | 15.00  | 4.90  |       | 73.50    |
| Ch 30.00m to Ch 45.00m                                              |      | 1    | 15.00  | 4.65  |       | 69.75    |
| Ch 45.00m to Ch 60.00m                                              |      | 1    | 15.00  | 4.85  |       | 72.75    |
| Ch 60.00m to Ch 75.00m                                              |      | 1    | 15.00  | 4.55  |       | 68.25    |
| Ch 75.00m to Ch 91.10m                                              |      | 1    | 16.10  | 4.50  |       | 72.45    |
| Ch 00.00m to Ch 15.00m (3rd main road RHS) (HP School road) (W1779) |      | 1    | 15.00  | 7.15  |       | 107.25   |
| Ch 15.00m to Ch 30.00m                                              |      | 1    | 15.00  | 7.45  |       | 111.75   |
| Ch 30.00m to Ch 45.00m                                              |      | 1    | 15.00  | 7.80  |       | 117.00   |
| Ch 45.00m to Ch 60.00m                                              |      | 1    | 15.00  | 7.15  |       | 107.25   |
| Ch 60.00m to Ch 75.00m                                              |      | 1    | 15.00  | 6.75  |       | 101.25   |
| Ch 75.00m to Ch 90.00m                                              |      | 1    | 15.00  | 7.05  |       | 105.75   |
| Ch 90.00m to Ch 105.00m                                             |      | 1    | 15.00  | 7.00  |       | 105.00   |

| Description                                                      | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|------------------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 105.00m to Ch 120.00m                                         |      | 1    | 15.00  | 7.05  |       | 105.75   |
| Ch 120.00m to Ch 135.00m                                         |      | 1    | 15.00  | 7.10  |       | 106.50   |
| Ch 135.00m to Ch 150.00m                                         |      | 1    | 15.00  | 6.85  |       | 102.75   |
| Ch 150.00m to Ch 165.00m                                         |      | 1    | 15.00  | 6.90  |       | 103.50   |
| Ch 165.00m to Ch 182.40m                                         |      | 1    | 17.40  | 7.10  |       | 123.54   |
| Ch 00.00m to Ch 15.00m (Rasool sab layout main road RHS) (W1176) |      | 1    | 15.00  | 4.60  |       | 69.00    |
| Ch 15.00m to Ch 33.30m                                           |      | 1    | 18.30  | 4.50  |       | 82.35    |
| Ch 00.00m to Ch 15.00m (Rasool sab layout main road LHS) (W1176) |      | 1    | 15.00  | 4.70  |       | 70.50    |
| Ch 15.00m to Ch 30.00m                                           |      | 1    | 15.00  | 4.50  |       | 67.50    |
| Ch 30.00m to Ch 45.00m                                           |      | 1    | 15.00  | 4.60  |       | 69.00    |
| Ch 45.00m to Ch 60.00m                                           |      | 1    | 15.00  | 4.60  |       | 69.00    |
| Ch 60.00m to Ch 75.00m                                           |      | 1    | 15.00  | 4.75  |       | 71.25    |
| Ch 75.00m to Ch 90.00m                                           |      | 1    | 15.00  | 5.10  |       | 76.50    |
| Ch 90.00m to Ch 105.00m                                          |      | 1    | 15.00  | 5.20  |       | 78.00    |
| Ch 105.00m to Ch 120.00m                                         |      | 1    | 15.00  | 4.55  |       | 68.25    |
| Ch 120.00m to Ch 135.00m                                         |      | 1    | 15.00  | 3.80  |       | 57.00    |
| Ch 135.00m to Ch 150.00m                                         |      | 1    | 15.00  | 4.30  |       | 64.50    |
| Ch 150.00m to Ch 165.00m                                         |      | 1    | 15.00  | 4.60  |       | 69.00    |
| Ch 165.00m to Ch 180.00m                                         |      | 1    | 15.00  | 4.80  |       | 72.00    |
| Ch 180.00m to Ch 195.00m                                         |      | 1    | 15.00  | 5.30  |       | 79.50    |
| Ch 195.00m to Ch 213.30m                                         |      | 1    | 18.30  | 5.30  |       | 96.99    |
| Ch 00.00m to Ch 15.00m (Gupta layout tar factory road) (W1827)   |      | 1    | 15.00  | 4.80  |       | 72.00    |
| Ch 15.00m to Ch 30.00m                                           |      | 1    | 15.00  | 5.00  |       | 75.00    |
| Ch 30.00m to Ch 45.00m                                           |      | 1    | 15.00  | 6.05  |       | 90.75    |
| Ch 45.00m to Ch 60.00m                                           |      | 1    | 15.00  | 6.30  |       | 94.50    |
| Ch 60.00m to Ch 75.00m                                           |      | 1    | 15.00  | 5.50  |       | 82.50    |
| Ch 75.00m to Ch 90.00m                                           |      | 1    | 15.00  | 5.50  |       | 82.50    |
| Ch 90.00m to Ch 105.00m                                          |      | 1    | 15.00  | 5.00  |       | 75.00    |
| Ch 105.00m to Ch 120.00m                                         |      | 1    | 15.00  | 4.80  |       | 72.00    |
| Ch 120.00m to Ch 135.00m                                         |      | 1    | 15.00  | 6.05  |       | 90.75    |
| Ch 135.00m to Ch 150.00m                                         |      | 1    | 15.00  | 6.20  |       | 93.00    |
| Ch 150.00m to Ch 165.00m                                         |      | 1    | 15.00  | 5.90  |       | 88.50    |
| Ch 165.00m to Ch 180.00m                                         |      | 1    | 15.00  | 5.80  |       | 87.00    |
| Ch 180.00m to Ch 195.00m                                         |      | 1    | 15.00  | 5.55  |       | 83.25    |

| Description                                           | UNIT | No's | LENGTH | WIDTH | DEPTH | QUANTITY |
|-------------------------------------------------------|------|------|--------|-------|-------|----------|
| Ch 195.00m to Ch 210.00m                              |      | 1    | 15.00  | 5.15  |       | 77.25    |
| Ch 210.00m to Ch 225.20m                              |      | 1    | 15.20  | 4.70  |       | 71.44    |
| Ch 00.00m to Ch 15.00m (2nd main road RHS)<br>(W1773) |      | 1    | 15.00  | 4.05  |       | 60.75    |
| Ch 15.00m to Ch 30.00m                                |      | 1    | 15.00  | 3.90  |       | 58.50    |
| Ch 30.00m to Ch 45.00m                                |      | 1    | 15.00  | 3.35  |       | 50.25    |
| Ch 45.00m to Ch 60.00m                                |      | 1    | 15.00  | 3.45  |       | 51.75    |
| Ch 60.00m to Ch 68.10m                                |      | 1    | 8.10   | 4.35  |       | 35.24    |
| Ch 00.00m to Ch 5.80m (Approach)                      |      | 1    | 5.80   | 4.50  |       | 26.10    |
| Ch 00.00m to Ch 15.00m                                |      | 1    | 15.00  | 4.70  |       | 70.50    |
| Ch 15.00m to Ch 30.00m                                |      | 1    | 15.00  | 4.70  |       | 70.50    |
| Ch 30.00m to Ch 45.00m                                |      | 1    | 15.00  | 4.20  |       | 63.00    |
| Ch 45.00m to Ch 60.00m                                |      | 1    | 15.00  | 4.60  |       | 69.00    |
| Ch 60.00m to Ch 80.50m                                |      | 1    | 20.50  | 5.05  |       | 103.53   |
| Ch 00.00m to Ch 15.00m (2nd main road LHS)<br>(W1771) |      | 1    | 15.00  | 6.30  |       | 94.50    |
| Ch 15.00m to Ch 30.00m                                |      | 1    | 15.00  | 6.40  |       | 96.00    |
| Ch 30.00m to Ch 45.00m                                |      | 1    | 15.00  | 6.20  |       | 93.00    |
| Ch 45.00m to Ch 51.30m                                |      | 1    | 6.30   | 6.30  |       | 39.69    |
| <b>Railway men layout</b>                             |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Temple road) (W0188)          |      | 1    | 15.00  | 6.30  |       | 94.50    |
| Ch 15.00m to Ch 30.00m                                |      | 1    | 15.00  | 6.00  |       | 90.00    |
| Ch 30.00m to Ch 46.80m                                |      | 1    | 16.80  | 5.05  |       | 84.84    |
| Ch 00.00m to Ch 14.50m (Approach)                     |      | 1    | 14.50  | 5.10  |       | 73.95    |
| Ch 00.00m to Ch 19.50m (2nd cross road)               |      | 1    | 19.50  | 4.20  |       | 81.90    |
| Ch 00.00m to Ch 15.00m (3rd cross road)               |      | 1    | 15.00  | 4.10  |       | 61.50    |
| Ch 15.00m to Ch 22.30m                                |      | 1    | 7.30   | 4.20  |       | 30.66    |
| <b>Rachenahalli</b>                                   |      |      |        |       |       |          |
| Ch 00.00m to Ch 15.00m (Bakery road) (W0387)          |      | 1    | 15.00  | 8.50  |       | 127.50   |
| Ch 15.00m to Ch 30.00m                                |      | 1    | 15.00  | 8.55  |       | 128.25   |
| Ch 30.00m to Ch 45.00m                                |      | 1    | 15.00  | 8.55  |       | 128.25   |
| Ch 45.00m to Ch 60.00m                                |      | 1    | 15.00  | 8.65  |       | 129.75   |
| Ch 60.00m to Ch 75.00m                                |      | 1    | 15.00  | 8.60  |       | 129.00   |
| Ch 75.00m to Ch 90.00m                                |      | 1    | 15.00  | 8.25  |       | 123.75   |
| Ch 90.00m to Ch 105.00m                               |      | 1    | 15.00  | 7.85  |       | 117.75   |
| Ch 105.00m to Ch 120.00m                              |      | 1    | 15.00  | 7.65  |       | 114.75   |